

CEV425 1 LED L/H

Bottle Cooler, Left Hinged

Product Features

- · Left hinged glass door
- Great product presentation
- Ideal for branding
- LED light in door frame
- Adjustable shelves
- Adjustable feet
- · Fan assisted cooling





Bottle cooler with left-hand hinged door

To save you the trouble of reversing the door, we have introduced this model with a left hinged door. The model is otherwise identical to the version with the right hinged door.

The CEV425 L/H is where efficient cooling and great design meets affordability. Featuring adjustable wire shelves, it is easy to customize this fan assisted bottle cooler to your selection of bottled and canned beverages. The glass door with LED lighting on the inside of the door frame makes sure that your products are always stylishly displayed.

With its clean lines, the CEV425 is perfect for keeping beverages refreshingly cool in many different settings, such as smaller and larger shops, delis, cafes, restaurants, bars, canteens, offices, gyms etc. To fully release its marketing potential, have the bottle cooler decorated nicely with customized branding.

The CEV range is available in white or black color options, with a right-hand hinged door or left-hand hinged door, and with or without a canopy. Upon request and at an additional cost, this product is also available with an EU energy rating C. Contact our sales team for more information.

| Design and Material | | | | |
|------------------------|-------|--------------------------|--|--|
| Door No & Type | | 1 left hinged glass door | | |
| Tempered glass | | Yes | | |
| Door Reversible | | Yes | | |
| Shelves No & Type | | 5 wire shelves white | | |
| Shelf Color | | White | | |
| Shelf Dimensions | | 490 x 360 mm | | |
| Max load on Shelves | kg/m² | 196 | | |
| Feet / Legs | | 2 adjustable feet | | |
| Castors | | 2 rollers | | |
| Exterior Finish | | White | | |
| Interior Finish | | White | | |
| Interior Light | | LED inside door frame | | |
| Lock | | Yes | | |

| Measures and Content | | | | |
|----------------------|----|-----------|--|--|
| Temperature Range | °C | +2 to +10 | | |
| Climate Class | | 4 | | |
| Gross / Net Weight | kg | 80 / 75 | | |
| Gross / Net Volume | I | 372 / 347 | | |

| Cooling and Functions | | | | |
|-----------------------|---|--------------|--|--|
| Type of Controller | | Mechanical | | |
| Type of Cooling | | Fan assisted | | |
| Type of Defrost | | Automatic | | |
| Refrigerant | | R600a | | |
| Refrigerant Charge | g | 70 | | |
| Thermometer | | Yes | | |

| Power and Consumption | | | | |
|-----------------------|----------|------------|--|--|
| Energy Class | | D | | |
| Energy Consumption | kWh/24h | 2.2 | | |
| Annual Energy Cons. | kWh/year | 803 | | |
| Input Power | W | 295 | | |
| Voltage / Frequency | V/Hz | 220-240/50 | | |
| Noise Level | dB(A) | 45 | | |

| Dimensions | | |
|-------------------------------|----|------------------|
| Internal Dimension (WxDxH) | mm | 470 x 440 x 1555 |
| External Dimension (WxDxH) | mm | 595 x 640 x 1840 |
| Packed Dimension (WxDxH) | mm | 665 x 710 x 2000 |

Power and Consumption

40ft Container Load

54