


DB126H

Backbar Cooler




Product Features

- Approx. 56% more energy efficient than previous DB-range
- Double glazed tempered glass
- Energy saving variable speed compressor
- Ventilated cooling for fast pull-down and even temperature
- Easy access electronic thermostat
- Adjustable shelves
- LED interior light



Protective thermostat cover



Adjustable shelves

Energy-efficient backbar cooler

This new range of DB backbars is highly energy efficient and uses in average 56% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. The temperature is easily adjusted on the electronic thermostat.

The backbar cooler has a reversible hinged door with double glazed tempered glass, which gives a nice product presentation. The adjustable wire shelves have a white plastic coating for easy maintenance. The backbar is ideal for busy bar environments, and with its black exterior and stucco aluminium interior it has a contemporary look. A great choice for any bar.

Design and Material		Measures and Content		Power and Consumption		
Door No & Type	1 hinged glass door	Total Display Area	m ²	0.35	Energy Class	A
Door Reversible	Yes	Temperature Range	°C	+2 to +10	Energy Consumption	kWh/24h 0.96
Tempered glass	Yes	Climate Class		4	Annual Energy Cons.	kWh/year 350
Shelves No & Type	2 wire shelves white	Gross / Net Weight	kg	52 / 46	Power	1
Shelf Color	White	Gross / Net Volume	l	125 / 115	Max Ambient	30°C at 55% RH
Shelf Dimensions	495x350 mm	Cooling and Functions			Input Power	W 95
Max load on Shelves	kg/m ² 196	Type of Controller		Electronic	Voltage / Frequency	V/Hz 220-240/50
Feet / Legs	4 adjustable feet	Type of Cooling		Ventilated	Noise Level	dB(A) 44
Exterior Finish	Black	Type of Defrost		Automatic	Dimensions	
Interior Finish	Stucco aluminium	Refrigerant		R600a	Internal Dimension (WxDxH)	mm 510 x 418 x 720
Interior Light	LED	Refrigerant Charge	g	55	External Dimension (WxDxH)	mm 600 x 520 x 870
Lock	Yes	Thermometer		Yes	Packed Dimension (WxDxH)	mm 685 x 575 x 940
					40ft Container Load	pcs 136