

## NIC201SCEB

## Ice Cream Freezer

## **Product Features**

- Curved sliding lids with lock
- Angled display for better presentation
- Includes full set of baskets
- Ideal for branding
- Digital thermometer

-24 to -14

- · Castors with brake
- Climate class 5 for high performance in warm surroundings





**Baskets** 

Lock

## Elegant chest freezer with curved sliding glass lids

The NIC-SCEB range is a compact display chest freezer in an elegant design. It has curved corners, rounded edges and curved sliding glass lids.

It is a very stable and solid build, but at the same time on wheels so that it is easy to change location in the shop.

It comes in many sizes, which makes this model perfect for smaller shops and delis with limited space as well as lager shops, gas stations, supermarkets etc.

All sizes are environmental friendly and can be branded for better presentation of the cabinet content.

The SCEB-range is with a lower front than back and curved sliding glass lids. Both features provides a better visual display and presentation of the content. This makes the freezer ideal for display of frozen food including ice cream and lollies. Temperature can be held around -14°C for ice cream or around -21°C for other frozen foods.

All sizes have glass lids with a lock for security. They also have a defrost drain for cleaning out the unit.

Measures and Content
Temperature Range °C

Design and Material				
Tempered glass	Yes			
Lid No & Type	2 curved sliding glass lid			
Basket No & Type	2 Wire baskets, white			
Max No. of Baskets pcs	2			
Castors	4 wheels, 2 with brake			
Exterior Finish	White			
Interior Finish	White painted steel			
Lock	Yes			

Climate Class		5		
Gross / Net Weight	kg	63 / 52		
Gross / Net Volume	I	185 / 138		
Cooling and Functions				
Type of Controller		Mechanical		
T ( C ):				
Type of Cooling		Static		
Type of Cooling  Type of Defrost		Static Manual		
31		- 11.1.1		
Type of Defrost	g	Manual		

Power and Consumption				
Energy Class		D		
Energy Consumption	kWh/24h	1.2		
Annual Energy Cons.	kWh/year	439		
Input Power	W	98		
Voltage / Frequency	V/Hz	220-240/50		
Noise Level	dB(A)	45		

Dimensions		
Internal Dimension (WxDxH)	mm	600 x 510 x 571
External Dimension (WxDxH)	mm	740 x 650 x 918
Packed Dimension (WxDxH)	mm	810 x 765 x 990
40ft Container Load	pcs	84