


CRNF2130

Freezer room



Product Features

- Plug-In - ready after assembly
- Many customisation possibilities
- Easy access to products
- Freezing unit
- Easy assembly
- 120 mm panel insulation
- Anti-slip floor in SS304 stainless steel
- Alarm kit as accessory
- Shelves available as accessory
- Ramp available as accessory for easy access



Strong handle



Shelf as accessory

Easy, economic and effective storage in freezer room

TEFCOLD freezer rooms are a perfect plug-in solution with quick and easy assemble.

The cooling unit comes completely pre-mounted on a panel and does not require extra expert knowledge. The interchangeable modular panels allow different positioning of both the cooling unit and the panel with the door.

The freezer room can be used in both restaurants, delis, cafes etc. They are a great way to create optimal and efficient cooling space at a very affordable price.

We offer a selection of sizes to fit most situations. The rooms are available as both cooler and freezer options and shelving is available as an option. A ramp is also available as an option to provide easy access with lightweight trolleys and bakery racks (the freezer room is not suitable for pallet jacks/pallet trucks).

Our range of cold rooms and freezer rooms have a low energy consumption due to the effective polyurethane insulation in the panels combined with an energy efficient cooling system.

Not suitable for outdoor use.

Design and Material		Measures and Content		Power and Consumption	
Door No & Type	1 hinged solid door W:700 H:1765	Internal Volume	m ³ 10.06	Energy Consumption	kWh/24h 31.78
Max Load on Floor	kg/m ² 2000	Wall Thickness	mm 120	Annual Energy Cons.	kWh/year 11598
Exterior Finish	White	Insulation Density	kg/m ³ 42	Power	1
Interior Finish	White	Temperature Range	°C -20 to -10	Max Ambient	40°C at 40% RH
Interior Light	LED	Climate Class	5	Input Power	W 1630
Lock	Yes	Gross / Net Weight	kg 760 / 730	Voltage / Frequency	V/Hz 220-240/50
		Gross / Net Volume	l	Noise Level	dB(A) 60
		Cooling and Functions		Dimensions	

Measures and Content			Power and Consumption		
Type of Controller		Electronic	Internal Dimension (WxDxH)	mm	1860 x 2760 x 1960
Type of Cooling		Ventilated	External Dimension (WxDxH)	mm	2100 x 3000 x 2200
Type of Defrost		Automatic, hot gas	Packed Dimension (WxDxH)	mm	2200 x 1900 x 2400
Refrigerant		R290	40ft Container Load	pcs	6
Refrigerant Charge	g	200			
Thermometer		Yes			