

NIC101SCEB

Ice Cream Freezer

Product Features

- Curved sliding lid with lock
- Great product visibility
- Divider system
- Ideal for branding
- Digital thermometer
- · Castors with brake
- Climate class 5 for high performance in warm surroundings





Divider system

Elegant chest freezer with curved sliding glass lids

The NIC-SCEB range is a compact display chest freezer in an elegant design. It has curved corners, rounded edges and curved sliding glass lids.

It is a very stable and solid build, but at the same time on wheels so that it is easy to change location in the shop.

It comes in many sizes, which makes this model perfect for smaller shops and delis with limited space as well as lager shops, gas stations, supermarkets etc.

All sizes are environmental friendly and can be branded for better presentation of the cabinet content.

The SCEB-range is with a lower front than back and curved sliding glass lids. Both features provides a better visual display and presentation of the content. This makes the freezer ideal for display of frozen food including ice cream and lollies. Temperature can be held around -14°C for ice cream or around -21°C for other frozen foods.

All sizes have glass lids with a lock for security. They also have a defrost drain for cleaning out the unit.

Divider system is included.

Design and Material	
Tempered glass	Yes
Lid No & Type	1 flat sliding glass lid
Basket No & Type	-
Max No. of Baskets pcs	2
Divider System	Yes
Castors	4 wheels, 2 with brake
Exterior Finish	White
Interior Finish	White painted steel
Interior Light	No
Lock	Yes

Measures and Content			
Temperature Range	°C	-24 to -14	
Climate Class		5	
Gross / Net Weight	kg	50 / 47	
Gross / Net Volume	I	130 / 115	

Cooling and Functions		
Type of Controller		Mechanical
Type of Cooling		Static
Type of Defrost		Manual
Refrigerant		R600a
Refrigerant Charge	g	50
Thermometer		Yes

Power and Consumption				
Energy Class		D		
Energy Consumption	kWh/24h	1.3		
Annual Energy Cons.	kWh/year	473		
Input Power	W	105		
Voltage / Frequency	V/Hz	220-240/50		
Noise Level	dB(A)	41		

Dimensions		
Internal Dimension (WxDxH)	mm	510 x 510 x 571
External Dimension (WxDxH)	mm	665 x 665 x 918
Packed Dimension (WxDxH)	mm	700 x 700 x 970

Power and Consumption

40ft Container Load

102

pcs